

# SAFETY DATA SHEET

# SWISHER FRYER & GRILL CLEANER

# SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	SWISHER FRYER & GRILL CLEANER
Other means of identification	:	Not applicable
Recommended use	:	Grill Cleaner
Restrictions on use	:	Reserved for industrial and professional use.
Product dilution information	•	Product is sold ready to use.
Company	:	Ecolab Inc. 1 Ecolab Place St. Paul, Minnesota USA 55102 1-866-444-7450
Emergency health information	:	1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)
Issuing date	:	06/14/2019

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Corrosive to Metals Skin corrosion Serious eye damage	<ul> <li>Category 1</li> <li>Category 1A</li> <li>Category 1</li> </ul>
GHS label elements	
Hazard pictograms	
Signal Word	: Danger
Hazard Statements	: May be corrosive to metals. Causes severe skin burns and eye damage.
Precautionary Statements	<ul> <li>Prevention:         Keep only in original container. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.         Response:         IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.         Store locked up. Store in corrosive resistant stainless steel container with a resistant inner liner.     </li> </ul>

	-	tents/ container to an ap	oproved waste disposal plant.
Other hazards	: None known.		
SECTION 3. COMPOSITION	INFORMATION ON		
Pure substance/mixture	: Mixture		
<b>Chemical name</b> Sodium hydroxide 2-butoxyethanol monoethanolamine Oxirane, methyl-, polymer wit 16-alkyl	n oxirane, mono-C10	<b>CAS-No.</b> 1310-73-2 111-76-2 141-43-5 0- 68649-29-6	<b>Concentration (%)</b> 5 - 10 1 - 5 1 - 5 1 - 5
SECTION 4. FIRST AID MEA	SURES		
In case of eye contact	least 15 minute		, also under the eyelids, for at ses, if present and easy to do. n immediately.
In case of skin contact	a mild soap if a		ater for at least 15 minutes. Use before reuse. Thoroughly clean tion immediately.
If swallowed		ith water. Do NOT induc outh to an unconscious p	ce vomiting. Never give person. Get medical attention
If inhaled	: Remove to fres symptoms occu		cally. Get medical attention if
Protection of first-aiders	: If potential for e protective equip		Section 8 for specific personal
Notes to physician	: Treat symptom	atically.	
Most important symptoms and effects, both acute and delayed	: See Section 11 symptoms.	for more detailed inforr	nation on health effects and

SECTION 5. FIRE-FIGHTING MEASURES		
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Not flammable or combustible.
Hazardous combustion products	:	Decomposition products may include the following materials: Carbon oxides
Special protective equipment for fire-fighters	:	Use personal protective equipment.

Specific extinguishing methods	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.	
SECTION 6. ACCIDENTAL RE	ELE	EASE MEASURES	
Personal precautions, protective equipment and emergency procedures	:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.	
Environmental precautions	:	Do not allow contact with soil, surface or ground water.	
Methods and materials for containment and cleaning up	:	Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.	
SECTION 7. HANDLING AND	ST	ORAGE	
Advice on safe handling	:	Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling.	
Conditions for safe storage	:	Do not store near acids. Keep out of reach of children. Store in suitable labeled containers.	
Storage temperature	:	0 °C to 50 °C	

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hydroxide	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z1
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z1
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		STEL	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z1

Engineering measures	:	Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.
Personal protective equipment	nt	
Eye protection	:	Wear eye protection/ face protection.
Hand protection	:	Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	:	Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	:	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, orange
Odor	: slight
рН	: 13.0 - 14.0, (100 %)
Flash point	: Not applicable
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1.006 - 1.17
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available

Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: The substance or mixture is not classified as oxidizing.	
Molecular weight	: No data available	
VOC	: No data available	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	None known.
Incompatible materials	:	Acids
Hazardous decomposition products	:	Decomposition products may include the following materials: Carbon oxides

# SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation, Eye contact, Skin contact
exposure		

### Potential Health Effects

Eyes	:	Causes serious eye damage.
Skin	:	Causes severe skin burns.
Ingestion	:	Causes digestive tract burns.
Inhalation	:	May cause nose, throat, and lung irritation.
Chronic Exposure	:	Health injuries are not known or expected under normal use.
Experience with human expo	รบ	ire
Eye contact	:	Redness, Pain, Corrosion
Skin contact	:	Redness, Pain, Corrosion
Ingestion	:	Corrosion, Abdominal pain
Inhalation	:	Respiratory irritation, Cough
Toxicity		
Product Acute oral toxicity		Acute toxicity estimate : > 5,000 mg/kg
-		
Acute inhalation toxicity	:	4 h Acute toxicity estimate : > 10 mg/l Test atmosphere: dust/mist

Acute dermal toxicity	:	Acute toxicity estimate : > 5,000 mg/kg
Skin corrosion/irritation	:	No data available
Serious eye damage/eye irritation	:	No data available
Respiratory or skin sensitization	:	No data available
Carcinogenicity	:	No data available
Reproductive effects	:	No data available
Germ cell mutagenicity	:	No data available
Teratogenicity	:	No data available
STOT-single exposure	:	No data available
STOT-repeated exposure	:	No data available
Aspiration toxicity	:	No data available

# SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
Environmental Effects	: This product has no known ecotoxicological effects.
Product	
Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available
Components	
Toxicity to fish	: 2-butoxyethanol 96 h LC50: 1,474 mg/l
Components	
Toxicity to daphnia and other aquatic invertebrates	: Sodium hydroxide 48 h EC50: 40 mg/l
	2-butoxyethanol 48 h EC50: 690 mg/l
	monoethanolamine 48 h LC50: 65 mg/l
Components	
Toxicity to algae	: 2-butoxyethanol 72 h EC50: 911 mg/l
Persistence and degradabili	у
No data available	
Bioaccumulative potential	
No data available	
Mobility in soil	

No data available

#### Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS			
Disposal methods	: Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.		
Disposal considerations	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers. Dispose of in accordance with local, state, and federal regulations.		
RCRA - Resource Conservation and Recovery Authorization Act Hazardous waste	: D002 (Corrosive)		

#### **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport (DOT)

UN number	: 1824
Description of the goods	: Sodium hydroxide solution
Class	: 8
Packing group	: 11
Environmentally hazardous	: no

#### Sea transport (IMDG/IMO)

UN number	: 1824
Description of the goods	: SODIUM HYDROXIDE SOLUTION
Class	: 8
Packing group	: 11
Marine pollutant	: no

### SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium hydroxide	1310-73-2	1000	13613

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 311/312 Hazards : Acute Health Hazard

SARA 302	: No chemicals in this materi of SARA Title III, Section 30	•	ng requirements
SARA 313	: The following components a by SARA Title III, Section 3 2-butoxyethanol		els established 2.1923 %

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

The regulation applied to the pro-	4400.		
Chemical Name	CAS-No.	Function	List(s)
water	7732-18-5	Solvent	Not Applicable
Sodium hydroxide	1310-73-2	Cleaning Agent	20
2-butoxyethanol	111-76-2	Solvent	20
monoethanolamine	141-43-5	Solvent	Not Applicable
Oxirane, methyl-, polymer with	68649-29-6	Cleaning Agent	Not Applicable
oxirane, mono-C10-16-alkyl			
Chelating agent	Withheld	Cleaning Agent	Not Applicable
Colorant	Withheld	Dye	Not Applicable
***feate enable enable featers is light to design at a light			

\*refer to ecolab.com/sds for electronic links to designated lists

#### The ingredients of this product are reported in the following inventories:

#### United States TSCA Inventory :

On TSCA Inventory

#### Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

### Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

#### New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory

# Japan. ENCS - Existing and New Chemical Substances Inventory : not determined

Japan. ISHL - Inventory of Chemical Substances (METI) : not determined


### Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS) : On the inventory, or in compliance with the inventory

**China.** Inventory of Existing Chemical Substances in China (IECSC) : On the inventory, or in compliance with the inventory

### SECTION 16. OTHER INFORMATION



Version : 1.1 Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.