

**MATERIAL SAFETY DATA SHEET**  
PENNZOIL® ROADSIDE® FIX-A-FLAT®

125294 Part# S-980-6  
SEALANT, FIX-A-FLAT, 16-OZ. #S420  
687 SOPUS PRODUCTS  
Buyer: Charles H. Aubuchon

**1. PRODUCT AND COMPANY IDENTIFICATION**

**MSDS Number: 13380**  
**Version Date: 09/06/02**

**Product Name:** PENNZOIL® ROADSIDE® FIX-A-FLAT®

**Product Use:** Seal & inflate automotive tires

**Synonyms:** PENNZOIL® ROADSIDE™ SUPER FIX-A-FLAT®, S410, S420, S430

**Company Information**

SOPUS Products  
P.O. Box 4427  
Houston, TX 77210-4427  
USA

**Phone Numbers**

**Medical Emergency:** 1-800-546-6040  
**Transportation Emergency (USA):** 1-800-424-9300  
**Transportation Emergency (International):**  
1-703-527-3887 (Call Collect)  
**MSDS Assistance:** 1-800-546-6227  
**Fax On Demand:** 1-800-546-6227  
**Technical Assistance:** 1-800-416-1600  
**Customer Service:** 1-800-468-8397  
**Fax Number:** 713-217-3181  
**Internet Address:** www.MSDS.PZLQS.com

**2. COMPONENT INFORMATION**

Component	CAS No.	Weight Percent Range	Hazardous in Blend
WATER	7732-18-5	30 - 60	No
TETRAFLUOROETHANE	811-97-2	10 - 55	Yes
HEAVY AROMATIC SOLVENT NAPHTHA	64742-94-5	10 - 50	Yes
AMORPHOUS POLYOLEFIN	MIXTURE	< 15	No
AROMATIC RESIN	MIXTURE	< 10	No
INERT FILLER	MIXTURE	< 7	No
EMULSIFIER	TRADESECRET	1 - 8	No

This product meets the definition of a hazardous chemical when evaluated according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Hazards:**

Flammable/Combustible    Acute Toxin   X   Chronic Toxin    Carcinogen     
Pressure   X   Reactive    Exposure Limit   X   Target Organ    Other   

**Other:** No information available

**3. HAZARDS IDENTIFICATION**

**Emergency and Hazards Overview**

DANGER: HARMFUL OR FATAL IF SWALLOWED. CONTENTS UNDER PRESSURE. MAY CAUSE EYE IRRITATION.

**NFPA Ratings:** Health   1   Flammability   1   Reactivity   0  

**Primary Route of Exposure:** Skin   X   Inhalation   X   Eye   

**Health Effect Information**

**Eye Contact:** Avoid eye contact. Exposure to mists and vapors may be irritating to the eyes. May be irritating to the eyes upon direct contact.

**Skin Contact:** Avoid skin contact. May be absorbed through skin. This product may cause skin irritation upon direct contact. Prolonged or repeated skin contact may result in dryness, chapping, and reddening.

**Inhalation:** Not applicable by this route of exposure. This product is not expected to pose an inhalation hazard under conditions of foreseeable use. Exposure to mist/vapors may be irritating to respiratory tract. Exposure to high concentrations can cause cardiac sensitization.

**Ingestion:** Ingestion is unlikely for aerosol products. This product is regarded as having a low order of toxicity.

**Medical Conditions Aggravated by Exposure:** Drying and chapping may make the skin more susceptible to other irritants, sensitizers and disease.

**Other:** No information available

---

#### 4. FIRST AID INFORMATION

**Eye Contact:** Immediately flush eyes with large amounts of water and continue flushing until irritation subsides. If irritation persists, seek medical attention.

**Skin Contact:** Wash contaminated area thoroughly with soap and water. If redness or irritation occurs and persists, seek medical attention.

**Inhalation:** No treatment is necessary under ordinary circumstances. If victim exhibits signs of vapor intoxication remove to fresh air. If discomfort persists seek medical attention.

**Ingestion:** Ingestion is unlikely for aerosol products. Accidental spraying into the mouth will not result in any harmful effects. Do not induce vomiting due to aspiration hazard.

**Notes to Physician:** Because of possible disturbances of cardiac rhythm, catecholamine drugs such as epinephrine, should be used with caution, and only in emergency situations.

**Other:** No information available

---

#### 5. FIRE AND EXPLOSION INFORMATION

##### Flammable Properties

**Flash Point (aerosol concentrate):** None

**Test Method:** ASTM D 3828-81-Setaflash

**Flash Point (aerosol concentrate):** None

**Test Method:**

**Flame Extension:** 0", no flashback

**Test Method:** CPSC 1500.45

##### Flammable Limits in Air

**Upper Percent:** No data available

**Lower Percent:** No data available

**Autoignition Temperature:** No data available

**Test Method:** No information available

**NFPA Classification:** Water-based product - not applicable

**Extinguishing Media:** This material is nonflammable as manufactured.

##### Fire Fighting Measures

**Special Fire Fighting Procedures and Equipment:** This material is nonflammable.

**Unusual Fire and Explosion Conditions:** Caution! Contents are under pressure and can explode when exposed to heat or flames. Pressurized container: Protect from sunlight and do not expose to temperatures exceeding 50 C. Do not pierce or burn even after container is empty.

**Hazardous Combustion By-Products:** No information available

**Other:** No information available

## 6. ACCIDENTAL RELEASE MEASURES

**Personnel Safeguards:** Consult Health Effect Information in Section 3, Personal Protection Information in Section 8, Fire and Explosion Information in Section 5, and Stability and Reactivity Information in Section 10. Provide adequate ventilation during clean-up.

**Regulatory Notifications:** No notification required

**Containment and Clean up:** No special cleanup procedures are necessary.

**Other:** No information available

## 7. HANDLING AND STORAGE INFORMATION

**Handling:** Contents under pressure and can explode when exposed to heat or open flame. Caution!--Do not puncture or incinerate. Do not weld on a rim without first removing the tire from the rim. Failure to do so could cause the tire to explode regardless of whether tire inflator is used. Welded and repaired rims are unsafe.

**Storage:** Do not store at temperatures greater than 120 F.

### Empty Container Warnings

**Drums:** Not applicable

**Plastic:** Not applicable

**Other:** No information available

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION INFORMATION

### Exposure Limits and Guidelines

Component	CAS No.	Exposure Limit
HEAVY AROMATIC SOLVENT NAPHTHA	64742-94-5	OSHA - PEL: TWA 500 ppm ACGIH - TLV: TWA 100 ppm

### Personal Protective Equipment

**Eye/Face Protection:** Wear safety glasses with unperforated sideshields.

**Skin Protection:** Skin protection is not required under conditions of normal use. For prolonged or repeated exposures, use impervious clothing (boots, gloves, aprons, etc.) over parts of the body subject to exposure. Launder soiled clothes.

**Respiratory Protection:** Respiratory protection is not required under conditions of normal use.

**Personal Hygiene:** Always wash hands and face with soap and water before eating, drinking, or smoking. Consumption of food and beverage should be avoided in work areas where this product is present.

### Engineering Controls / Work Practices

**Ventilation:** All use, including deflating of tires, must be done in a well-ventilated area. If product is used in enclosed or confined spaces, adequate ventilation must be provided to prevent buildup of vapors or mists.

**Other:** No information available

# MATERIAL SAFETY DATA SHEET

MSDS Number: 13380

PENNZOIL® ROADSIDE® FIX-A-FLAT®

Page 4 of 7

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b> Foamy , milky liquid	
<b>Odor:</b> Ammonia - mild	<b>Vapor Pressure:</b> 77 - 79 psig @ 68 F
<b>Physical state:</b> Liquid	<b>Vapor Density (air=1):</b> < 1
<b>pH:</b> 8.5 - 9.5	<b>Percent Volatile by Volume:</b> Apx 92 %
<b>Boiling Point:</b> 30 F, -1.1 C	<b>Volatile Organic Content:</b> No data available
<b>Melting Point:</b> No data available	<b>Molecular Weight:</b> No data available
<b>Specific Gravity:</b> Apx 0.98	<b>Average Carbon Number:</b> No data available
<b>Pour Point:</b> -15 F, -26.1 C	<b>Viscosity @ 100 F:</b> 20 SUS
	<b>Viscosity @ 40 C:</b> No data available
<b>Solubility in Water:</b> Soluble in water	
<b>Octanol / Water Coefficient: Log K<sub>ow</sub> =</b> No data available	

## 10. STABILITY AND REACTIVITY INFORMATION

**Chemical Stability:** Stable

**Conditions to Avoid:** High heat and open flames.

**Incompatible Materials to Avoid:** Avoid contact with magnesium.

**Other:** No information available

## 11. TOXICOLOGICAL INFORMATION

**Primary Eye Irritation:** No information available

**Primary Skin Irritation:** No information available

**Acute Dermal Toxicity:** No information available

**Subacute Dermal Toxicity:** No information available

**Dermal Sensitization:** No information available

**Inhalation Toxicity:** No information available

**Inhalation Sensitization:** No information available

**Oral Toxicity:** No information available

**Mutagenicity:** No information available

**Carcinogenicity:** The IARC has concluded that petroleum solvents are Group 3 substances, "not classifiable as to their carcinogenicity to humans".

**Reproductive and Developmental Toxicity:** No information available

**Teratogenicity:** No information available

**Immunotoxicity:** No information available

**Neurotoxicity:** No information available

**MATERIAL SAFETY DATA SHEET**

**PENNZOIL® ROADSIDE® FIX-A-FLAT®**

Other: No information available

---

**12. ECOLOGICAL INFORMATION**

**Aquatic Toxicity:** No information available

**Terrestrial Toxicity:** No information available

**Chemical Fate and Transport:** No information available

Other: No information available

---

**13. DISPOSAL INFORMATION**

**Regulatory Information:** Dispose of residual products and empty containers responsibly.

**Waste Disposal Methods:** No special waste disposal methods are required. Waste material may be landfilled or incinerated at an approved facility.

Other: No information available

---

**14. TRANSPORTATION INFORMATION**

**U.S. Department of Transportation (DOT)**

**Highway / Rail (Bulk):** NOT APPLICABLE

**Highway / Rail (Non-Bulk):** CONSUMER COMMODITY, ORM-D

**For US shipments, US DOT law requires the shipper to determine the proper shipping description of the material that is being shipped. The shipping information and description contained in this section may not be suitable for all shipments of this material, but may help the shipper determine the proper shipping description for a particular shipment.**

**International Information**

**Vessel: IMDG Regulated:**   X   **IMDG Not Regulated:**   -  

**Air: ICAO Regulated:**   X   **ICAO Not Regulated:**   -  

Other: No information available

---

**15. Regulatory Information**

**Regulatory Lists Searched:** The components listed in Section 2 of this MSDS were compared to substances that appear on the following regulatory lists. Each list is numerically identified. See Regulatory Search Results below.

**Health & Safety:** 10 - IARC carcinogen, 11 - NTP carcinogen, 12 - OSHA carcinogen, 15 - ACGIH TLV, 16 - OSHA PEL, 17 - NIOSH exposure limit, 20 - US DOT Appendix A, Hazardous substances, 22 - FDA 21 CFR Total food additives, 23 - NFPA 49 or 325

**Environmental:** 30 - CAA 1990 Hazardous air pollutants, 31 - CAA Ozone depletors, 33 - CAA HON rule, 34 - CAA Toxic substance for accidental release prevention, 35 - CAA Volatile organic compounds (VOC's) in SOCM1, 41 - CERCLA / SARA Section 302 extremely hazardous substances, 42 - CERCLA / SARA Section 313 emissions reporting, 43 - CWA Hazardous substances, 44 - CWA Priority pollutants, 45 - CWA Toxic pollutants, 46 - EPA Proposed test rule for hazardous air pollutants, 47 - RCRA Basis for listing - Appendix VII, 48 - RCRA waste, 49 - SDWA - (S)MCLs

# MATERIAL SAFETY DATA SHEET

MSDS Number: 13380

PENNZOIL® ROADSIDE® FIX-A-FLAT®

Page 6 of 7

**International:** 50 - Canada - WHMIS Classification of substance, 54 - Mexico - Drinking water - ecological criteria, 55 - Mexico - Wastewater discharges, 56 - US -TSCA Section (12)(b) - export notification

**State Lists:** 60 - CA - Proposition 65, 61 - FL - Substances, 62 - MI - Critical materials, 63 - MA - RTK, 64 - MA - Extraordinarily hazardous substances, 65 - MN - Hazardous substances, 66 - PA - RTK, 67 - NJ - RTK, 68 - NJ - Environmental hazardous substances, 69 - NJ - Special hazardous substances

**Inventories:** 80 - Canada - Domestic substances , 81 - European - EINECS, 82 - Japan - ENCS, 83 - Korea - Existing and evaluated chemical substances, 84 - US - TSCA , 85 - China Inventory

**Regulatory Search Results:**

HEAVY AROMATIC SOLVENT NAPHTHA: 50, 80, 81, 83, 84, 85

TETRAFLUOROETHANE: 65, 80, 81, 82, 83, 84, 85

WATER: 80, 81, 83, 84, 85

**U.S. TSCA Inventory:** All components of this material are on the US TSCA Inventory.

**SARA Section 313:** Consumer products are not regulated under SARA, Title III, Section 313.

**IARC:** No information available

**SARA 311 / 312 Categories**

**Acute:**  X  **Chronic:**  --  **Fire:**  --  **Pressure:**  X  **Reactive:**  --

**Not Regulated:**  --

**Canadian WHMIS Classification**

Class A - Compressed gas

Class D - Poisonous and infectious material, Division 2B, Toxic Material

**European Union Classification**

**Hazard Symbols:**

"3" Aerosol

Harmful / Xn / X in square.

**Risk Phrases:**

R66: Repeated exposure may cause skin dryness or cracking.

R67: Vapours may cause drowsiness and dizziness.

**Safety Phrases:**

S2: Keep out of the reach of Children.

S23: Do not breathe gas/fumes/vapour/spray.

S24: Avoid contact with skin.

S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

**Other:** No information available

---

## 16. OTHER INFORMATION

**Health and Environmental Label Language**

Front Label:

DANGER: HARMFUL OR FATAL IF SWALLOWED. CONTENTS UNDER PRESSURE.  
MAY CAUSE EYE IRRITATION.

Read all cautions and directions on back panel before using.

Back Label:

# MATERIAL SAFETY DATA SHEET

MSDS Number: 13380

PENNZOIL® ROADSIDE® FIX-A-FLAT®

Page 7 of 7

## DANGER:

### PRECAUTIONARY MEASURES:

DO NOT inhale. Use in a well ventilated area. Avoid contact with eyes.

DO NOT puncture or incinerate container. DO NOT expose to heat, open flame, direct sunlight or store at temperatures above 120° F. Exposure to heat may cause can to rupture. DO NOT STORE IN INTERIOR OF CAR (INCLUDING GLOVE COMPARTMENT AND INSIDE HATCHBACKS). TEMPERATURES INSIDE CAR CAN EXCEED 120° F. STORE OUTSIDE PASSENGER AREA OF VEHICLE PREFERABLY SECURED IN SPARE TIRE WELL OR TRUNK.

DO NOT use with any other tire inflator products.

DO NOT use on motorcycle tires. Failure of one tire could cause loss of control.

DO NOT use Fix-A-Flat with tires which utilize tire sensor technology. Fix-A-Flat may block tire sensors and cause them to be inoperable. Fix-A-Flat will not be liable for damage to tire sensors.

NEVER WELD ON A RIM. WELDING ON A RIM WITH THE TIRE MOUNTED COULD CAUSE THE TIRE TO EXPLODE REGARDLESS OF WHETHER TIRE INFLATOR IS USED. WELDED AND REPAIRED RIMS ARE UNSAFE.

FIRST AID: Contains fluorocarbons and aromatic solvents.

INHALATION: If inhaled, breathe fresh air. If breathing is affected, give artificial respiration and call a physician.

EYE CONTACT: Immediately flush with water for 15 minutes. If irritation persists, call physician.

INGESTION: If ingested, do not induce vomiting. Call physician immediately.

KEEP OUT OF REACH OF CHILDREN.

## MSDS Revisions

Previous Version Date: 09/06/02

## Previous Version Information

Section 14 - Transportation Information Revised.

## Other

No information available

## Prepared By:

SOPUS Products

P.O. Box 4427

Houston, TX 77210-4453 USA

**Disclaimer of Warranty:** The information contained herein is based upon data and information available to us, and reflects our best professional judgment. This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, SOPUS Products must rely upon the hazard evaluation of such components submitted by that product's manufacturer or importer. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information, the results to be obtained from the use thereof, or that any such use do not infringe any patent. Since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.