WEN OXY-POWER 4X1 CASE

Page: 1 10/6/2008

PRODUCT NAME: WEN OXY-POWER 4X1 CASE

PRODUCT CODE: FLCHPCOXNWJ-OXY-1

========= SECTION I - MANUFACTURER IDENTIFICATION ===========

DISTRIBUTOR'S NAME: Walter E. Nelson Company
ADDRESS: 5937 North Cutter Circle
Portland, OR 97217

EMERGENCY PHONE : 800-228-5635 x059 DATE REVISED : 8/8/2008

INFORMATION PHONE : 800-929-2141 NAME OF PREPARER : C. WERNER, CHEMIST

====== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =======

VAPOR PRESSURE WEIGHT REPORTABLE COMPONENTS CAS NUMBER mm Hg @ TEMP PERCENT HYDROGEN PEROXIDE 7722-84-1 23 30 DEG C OSHA TWA: 1.4 MG/M3, ACGIH TWA: 1.4 MG/M3, OTHER: NONE DIPROPYLENE GLYCOL MONOMETHYL ETHER 34590-94-8 .55 25 DEG F OSHA PEL: 100 PPM, ACGIH TLV: 100 PPM, OTHER: 150 PPM ORAL LD50: 5.4 MG/KG (RATS), DERMAL LD50: 20ML/KG (RABBITS) D-LIMONENE 94266-47-4 1 57 DEG F OSHA PEL: NONE, ACGIH TLV: NONE, OTHER: NONE

\*\*\* No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. \*\*\*

This product may contain chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

======== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =========

BOILING POINT: 212 DEG F

SPECIFIC GRAVITY (H2O=1): 1.02

VAPOR DENSITY: HEAVIER THAN AIR EVAPORATION RATE: SLOWER THAN ETHER

SOLUBILITY IN WATER: Miscible ph: 3.0

APPEARANCE AND ODOR: Liquid, non-viscous, faint sweet odor.

========= SECTION IV - FIRE AND EXPLOSION HAZARD DATA ==========

FLASH POINT: NONE METHOD USED: COC

FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: .7 UPPER: 14

EXTINGUISHING MEDIA: FOAM, CO2, DRY CHEMICAL, WATER FOG

SPECIAL FIREFIGHTING PROCEDURES

Fire fighters should wear self-contained breathing apparatus and full protective clothing. Use water spray to cool nearby containers and structures exposed to fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS

None

STABILITY: STABLE CONDITIONS TO AVOID

Excessive heat.

INCOMPATIBILITY (MATERIALS TO AVOID)

Oxidizing agents.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

May liberate carbon monoxide and carbon dioxide. Unidentified organic compounds may be formed during combustion.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

Page: 2 10/6/2008

10/0/2000

Inhalation of high concentrations may cause headaches and nausea.

#### SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

EYES - Liquid and mists will irritate and may burn the eyes. SKIN - No irritation is likely after brief contact but may be irritating after prolonged contact.

#### SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Redness, drying of skin, or other signs of irritation or contact dermatitis. May result in primary irritant dermatitis.

# INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Swallowing the liquid may cause headaches, nausea, vomiting, and diarrhea. Swallowing large quantities may cause liver damage (fat liver).

#### HEALTH HAZARDS (ACUTE AND CHRONIC)

Repeated overexposure may cause damage to the liver (fat liver).

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: NO OSHA REGULATED: No The components of this product are not considered to be carcinogens by the National Toxicology Program, the

International Agency for Research on Cancer, or the Occupational Safety and Health Administration.

#### MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

Persons with pre-existing dermatitis may be more susceptible to the effects of this material.

#### EMERGENCY AND FIRST AID PROCEDURES

INHALATION - Remove to fresh air. Give artificial resperation if not breathing. EYES - Flush immediately with large amounts of water for at least 15 minutes holding eyelids open. Get medical attention. SKIN - Immediately flush skin with lots of running water for at least 15 minutes. Remove contaminated clothing and shoes. INGESTION - If conscious, drink 2 glasses of water. Consult a physician or poison control center immediately. Treat symptomatically. Do not give anything by mouth to an unconscious or convulsing person.

#### 

For small spills dilute with water, mop or wipe up and contain. For large spills, contain by diking with absorbant material. Keep material out of sewers, storm drains, surface waters, and soil.

# WASTE DISPOSAL METHOD

Comply with all applicable governmental regulations on spill reporting, handling and disposal of waste. Dispose of contaminated product and materials used in clean up in a manner approved for this material and the contaminant. Consult appropriate Federal, State and Local regulatory agencies to ascertain proper disposal procedures and comply with them.

### PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Store in a dry, well ventilated place away from incompatible materials. Keep container tightly closed when not in use. Store at temperatures above the solutions freezing point to remain liquid. Do not use pressure to empty container.

## OTHER PRECAUTIONS

Empty containers usually still hold residues of material and vapors. These must be considered hazardous and disposed of in accordance with proper handling procedures prescribed for hazardous chemicals. When mixing with water, always add this product to water and stir.

# 

In the absence of adequate ventilation an approved respirator may be required.

#### VENTILATION

Be sure to provide adequate ventilation in all working areas at all time. In general, health problems could result from repeated and prolonged exposureto chemical vapors.

#### PROTECTIVE GLOVES

Wear resistant gloves such as polyethylene or rubber.

#### EYE PROTECTION

Chemical splash goggles should be worn during application of this product.

# MATERIAL SAFETY DATA SHEET

WEN OXY-POWER 4X1 CASE

Page: 3 10/6/2008

# OTHER PROTECTIVE CLOTHING OR EQUIPMENT

Where gross eye and skin contact may occur use and wear appropriate clothing, rubber boots with pants on the outside, and rubber gloves.

# WORK/HYGIENIC PRACTICES

Standard hygienic practices must be observed when handling all chemicals.