

SAFETY DATA SHEET

1. Identification

Product identifier	HP Color LaserJet Q6470A-AC Black Print Cartridge
Other means of identification	Not available.
Recommended use	This product is a black toner preparation that is used in HP Color LaserJet CP3505/3600/3800 series printers.
Recommended restrictions	None known.
Company identification	HP 1501 Page Mill Road Palo Alto, CA 94304-1112 United States Telephone 650-857-5020 HP health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Not available.
Precautionary statement	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Hazard(s) not otherwise classified (HNOC)	Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.
Supplemental information	This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<85
Wax	Wax	Trade Secret	<15
Carbon black		1333-86-4	<6
Amorphous silica	Amorphous silica	7631-86-9	<2

4. First-aid measures	
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
Most important symptoms/effects, acute and delayed	Not available.

5. Fire-fighting measures

5 5		
Suitable extinguishing media	CO2, water, or dry chemical	
Unsuitable extinguishing media	None known.	
Specific hazards arising from the chemical	Not applicable.	
Special protective equipment and precautions for firefighters	Not available.	
Fire-fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.	
Specific methods	None established.	
6. Accidental release mea	asures	
Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.	
Methods and materials for containment and cleaning up	Not available.	
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.	
7. Handling and storage		
Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.	
Couditions for onfo shows no	Kann aut of the weach of shildren. Kann tighthy closed and dry. Chang at your tenengauty we Chang	

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Components	Air Contaminants (29 CFR 1910.1000) Type	Value	
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m3	
US. ACGIH Threshold Limit Va Components	lues Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to C Components	hemical Hazards Type	Value	
Amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3	
Carbon black (CAS 1333-86-4)	TWA	0.1 mg/m3	

Biological limit values Exposure guidelines	No biological exposure limits noted for the ingredient(s). USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)		
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)		
	Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3		
	TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)		
	UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)		
Appropriate engineering controls	Use in a well ventilated area.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Not available.		
Skin protection			
Hand protection	Not available.		
Other	Not available.		
Respiratory protection	Not available.		
Thermal hazards	Not available.		

9. Physical and chemical properties

Si i nysicai ana chenneai	properties	
Appearance	Fine powder	
Physical state	Solid.	
Color	Black.	
Odor	Slight plastic odor	
Odor threshold	Not available.	
рН	Not applicable	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not applicable	
Flash point	Not applicable	
Evaporation rate	Not applicable	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or e	xplosive limits	
Flammability limit - lower (%)	Not flammable	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	Not applicable	
Solubility(ies)		
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not applicable	
Decomposition temperature	> 392 °F (> 200 °C)	
Viscosity	Not applicable	
Other information		
Percent volatile	0 % estimated	
Softening point	212 - 302 °F (100 - 150 °C)	
Specific gravity	1 - 1.2	
Material name: 06470A AC		

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers
Hazardous decomposition products	Carbon monoxide and carbon dioxide.

..... Te -:-**T**:

11. Toxicological information				
Symptoms related to the physical, chemical and toxicological characteristics	Not available.			
Information on toxicological effects				
Acute toxicity	Based on available data, the classification criteria are not met.			
Skin corrosion/irritation	Based on available data, th	e classification criteria are not met.		
Serious eye damage/eye irritation	Based on available data, th	e classification criteria are not met.		
	Respiratory or skin sensitization			
Respiratory sensitization	Based on available data, th	e classification criteria are not met.		
Skin sensitization	Based on available data, th	e classification criteria are not met.		
Germ cell mutagenicity		Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, th	e classification criteria are not met.		
	2B) and by the State of Ca organizations indicate that bound within a product ma	s a carcinogen by the IARC (possibly carcinogenic to humans, Group lifornia under Proposition 65. In their evaluations of carbon black, both exposure to carbon black, per se, does not occur when it remains trix, specifically, rubber, ink, or paint. Carbon black is present only in a tion. None of the ingredients have been classified as carcinogens K, NTP, OSHA or ACGIH.		
IARC Monographs. Overall	Evaluation of Carcinoger	licity		
Carbon black (CAS 1333-8	86-4)	2B Possibly carcinogenic to humans.		
Reproductive toxicity	Based on available data, the classification criteria are not met.			
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.			
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.			
Aspiration hazard	Based on available data, the classification criteria are not met.			
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.			
Components	Species	Test Results		
Amorphous silica (CAS 7631-86-9)				
Acute				
Oral				
LD50	Mouse	> 15000 mg/kg		
	Rat	> 22500 mg/kg		
Carbon black (CAS 1333-86-4)				
Acute				
Oral				
LD50	Rat	> 8000 mg/kg		

12. Ecological information	on			
Ecotoxicity Product		Species	Test Results	
Q6470A-AC				
Aquatic				
Fish	LL50	Rainbow Trout	> 1000 mg/l, 96 Hours	
Persistence and degradability	Not available			
Bioaccumulative potential	Not available			
Mobility in soil	Not available			
Other adverse effects	Not available	.		
13. Disposal considerati	ons			
Disposal instructions	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.			
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling o HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.			
14. Transport information	on			
Further information	Not a danger	ous good under DOT, IATA,	ADR, IMDG, or RID.	
15. Regulatory informat	ion			
US federal regulations		A Inventory: All chemical sub	stances in this product comply with all rules or orders	
SARA 304 Emergency rele Not regulated. OSHA Specifically Regulat Not listed.			50)	
Superfund Amendments and I	Peauthorizatio	on Act of 1986 (SARA)		
Hazard categories	Immediate H Delayed Haza Fire Hazard - Pressure Haz Reactivity Ha	azard - No ard - No No ard - No		
SARA 302 Extremely haza	ardous substa	nce		
Not listed.				
SARA 311/312 Hazardous chemical	No			
Other federal regulations				
Safe Drinking Water Act (SDWA)	Not regulated	d.		
US state regulations				
US. Massachusetts RTK - S		t		
Carbon black (CAS 1333- US. New Jersey Worker a	,	/ Right-to-Know Act		
Carbon black (CAS 1333- US. Pennsylvania Worker		ity Right-to-Know Law		
Carbon black (CAS 1333- US. Rhode Island RTK	-86-4)			
Not regulated.				
Material name: 06470A-AC			SDS	

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES Listed: February 21, 2003 OF RESPIRABLE SIZE [<= 10 MICROMETERS]) (CAS 1333-86-4)

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revisionIssue date16-Apr-2015

Revision date	24-Sep-2015		
Version #	03		
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.		
Revision Information	Other information, including date of preparation or last revision: Disclaimer		
Manufacturer information	HP 11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209		

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds