

Printing date 01/06/2015

Reviewed on 01/06/2015

1	Identification	1
---	----------------	---

- · Product identifier
- Trade name: Gum Free
- · Article number: 084
- · Application of the substance / the mixture Gum Remover
- · Details of the supplier of the Safety Data Sheet • Manufacturer/Supplier: ITW Pro Brands 805 East Old 56 Highway Olathe, Kansas 66061 Phone: 1-800-224-4860

• Emergency telephone number: Infotrac Emergency Hotline: 1-800-535-5053

	2 Hazard	(s)	identification
--	----------	-----	----------------

2 Hazard(s) identific	ation	
· Classification of the s	substance or mixture	
GHS 04 gas cy	ylinder	
H280 Contains gas	under pressure; may explode i	f heated.
GHS02	2 GHS04 Flame, Gas cylinder	
Flam. Aerosol 1 H22	22-H229 Extremely flammat heated.	ble aerosol. Pressurized container: May burst if
GHS08 Health	hazard	
Asp. Tox. 1 H3	04 May be fatal if swallo	wed and enters airways.
Simple Asphyxiant	May displace oxygen	and cause rapid suffocation.
 Label elements GHS label elements The product is classifie Hazard pictograms 	ed and labeled according to the	Globally Harmonized System (GHS).
	•	
GHS02 GHS04 GHS08	3	
• Signal word Danger		
isobutane propane · Hazard statements	components of labeling: der pressure; may explode if he	Pated
		(Contd. on page 2)

Printing date 01/06/2015 Reviewed on 01/06/2015 **Trade name: Gum Free** (Contd. of page 1) H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated. H304 May be fatal if swallowed and enters airways. May displace oxygen and cause rapid suffocation. **Precautionary statements** P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Pressurized container: Do not pierce or burn, even after use. P251 Do not spray on an open flame or other ignition source. P211 P301+P310 If swallowed: Immediately call a poison center/doctor. P331 Do NOT induce vomiting. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • Additional information: Pressurized container: May burst if heated. · Hazard description: WHMIS-symbols: A - Compressed gas B5 - Flammable aerosol · Classification system: · NFPA ratings (scale 0 - 4) Health = 0 Fire = 4 Reactivity = 0 · HMIS-ratings (scale 0 - 4) Health = 0 HEALTH 4 Fire = 4FIRE REACTIVITY O Reactivity = 0 · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients · Chemical characterization: Mixtures · Description: Mixture: consisting of the following components. · Dangerous components:

75-28-5 isobutane

Flam. Gas 1, H220 Press. Gas, H280

(Contd. on page 3)

50-100%

Printing date 01/06/2015

Reviewed on 01/06/2015

Trade name: Gum Free

74-98-6 propane

Flam. Gas 1, H220
Press. Gas, H280

(Contd. of page 2) 15-45%

C	Description of first aid measures
C	General information: Take affected persons out into the fresh air.
A	After inhalation:
	Supply fresh air; consult doctor in case of complaints.
F	Provide oxygen treatment if affected person has difficulty breathing.
	After skin contact:
	mmediately wash with water and soap and rinse thoroughly.
	n cases of frostbite, rinse with plenty of water. Do not remove clothing.
	f skin irritation continues, consult a doctor.
	After eye contact:
	Remove contact lenses if worn.
	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
	After swallowing:
	Jnlikely route of exposure.
	Do not induce vomiting; immediately call for medical help.
	lost important symptoms and effects, both acute and delayed
	leadache
	Breathing difficulty
	Dizziness
	Coughing
	rostbite
-	lausea Disorientation
_	
	Danger No further relevant information available.
	ndication of any immediate medical attention and special treatment needed
	f swallowed, gastric irrigation with added, activated carbon. Treat frost-bitten areas appropriately.
П	f swallowed or in case of vomiting, danger of entering the lungs.

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

Danger of receptacles bursting because of high vapor pressure if heated.

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Contd. on page 4)

Printing date 01/06/2015

Reviewed on 01/06/2015

Trade name: Gum Free

(Contd. of page 3)

· Additional information

Eliminate all ignition sources if safe to do so. Leaking gas fire: Do not extinguish, unless leak can be stopped safely. If aerosols are bursting, stay clear until safe. Aerosol containers can be projectiles when bursting. Cool endangered receptacles with water fog.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- If containers are leaking, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.
- Keep away from ignition sources.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Allow to evaporate.

Absorb liquid components with liquid-binding material.

Ensure adequate ventilation.

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling Keep away from heat and direct sunlight.

Use only in well ventilated areas.

Pressurized container: Do not pierce or burn, even after use.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Fumes can combine with air to form an explosive mixture.

Flammable gas-air mixtures may be formed in empty receptacles.

Do not spray on a naked flame or any incandescent material.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers. Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

(Contd. on page 5)

Printing date 01/06/2015

Reviewed on 01/06/2015

Trade name: Gum Free

(Contd. of page 4)

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

75-28-5 isobutane

TLV (USA) Short-term value: 2370 mg/m³, 1000 ppm

EV (Canada) Long-term value: 800 ppm

LMPE (Mexico) Long-term value: 1000 ppm

74-98-6 propane

PEL (USA)	Long-term value: 1800 mg/m ³ , 1000 ppm
REL (USA)	Long-term value: 1800 mg/m ³ , 1000 ppm
TLV (USA)	refer to Appendix F
EL (Canada)	Long-term value: 1000 ppm
EV (Canada)	Long-term value: 1.000 ppm
	Laws tame values 1000 mmm

LMPE (Mexico) Long-term value: 1000 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid close or long term contact with the skin.

Avoid contact with the eyes.

Breathing equipment:

Not required under normal conditions of use.

For spills, respiratory protection may be advisable.

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

(Contd. of page 5)

Safety Data Sheet acc. to HCS and GHS

Reviewed on 01/06/2015

Trade name: Gum Free

Printing date 01/06/2015

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safe

Safety glasses

 Body protection: Protective work clothing
 Limitation and supervision of exposure into the environment No further relevant information available.

9 Physical and chemical properties

 Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor threshold: 	Aerosol Colorless Odorless Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. -42 °C (-44 °F)	
· Flash point:	-104 °C (-155 °F)	
Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Not determined.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapor pressure at 21 °C (70 °F):	50 - 100 psig	
 Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate 	0.28 g/cm³ (2.337 lbs/gal) Not determined. > 1 (Air=1) Not applicable.	
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix.	(Contd. on page 7)

Printing date 01/06/2015

Reviewed on 01/06/2015

Trade name: Gum Free

	(Contd. of page 6
Partition coefficient (n-octand	
•	
· Viscosity:	Not determined.
Dynamic: Kinematic:	Not determined.
Rinematic.	Not determined.
· Solvent content:	
VOC content:	100 %
· Other information	No further relevant information available.
Stability and reactivity	
Depativity	
· Reactivity	
· Chemical stability	ulitions to be evolded.
Thermal decomposition / con	
	stored according to specifications.
	because of high vapor pressure if heated.
Possibility of hazardous reac	
	air if heated above flash point and/or when sprayed or atomized.
Reacts violently with oxidizing a	igents.
Extremely flammable aerosol.	
Conditions to avoid	
Keep away from heat and direct	t sunlight.
Excessive heat and contact with	h oxidizers.
Keep ignition sources away - Do	o not smoke.
	rther relevant information available.
· Hazardous decomposition pr	
Carbon monoxide and carbon d	
Hydrocarbons	NOXICE
Toxicological informatio	'n
· Information on toxicological	effects
• Acute toxicity:	
Primary irritant effect:	
on the skin: No irritant effect.	
• on the eye: No irritating effect.	
· Sensitization: No sensitizing e	ffects known.
· Other information (about exp	erimental toxicology):
Ingestion is considered unlikely	
Vapors have narcotic effect.	
· Additional toxicological infor	mation
Additional toxicological inter	

· Carcinogenic categories

• NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 01/06/2015

Reviewed on 01/06/2015

Trade name: Gum Free

(Contd. of page 7)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Repeated Dose Toxicity: Repeated exposure may cause skin dryness or cracking.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Avoid transfer into the environment.

Due to the consistence and the low watersolubility of the product a bioavailability is not probable.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous. • Waste disposal key: EPA RCRA Code (USA) : D001.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

UN1950

DOT, ADR, IMDG, IATA
 UN proper shipping name

Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 1 L (0.3 gal).

 \cdot DOT, IATA

Aerosols, flammable

(Contd. on page 9)

Safety Data Sheet acc. to HCS and GHS

Printing date 01/06/2015

Reviewed on 01/06/2015

ade name: Gum Free		
ADR IMDG Transport hazard class(es) DOT	1950 AEROSOLS, flammable AEROSOLS	(Contd. of page
Class Label	2.1 2.1	
ADR		
Class Label	2 5F Gases 2.1	
· IMDG		
· Class · Label	2 Gases 2.1	
Class Label Backing group	2.1 2.1	
· Packing group · DOT, ADR, IMDG, IATA · Environmental hazards: · Marine pollutant:	Not Regulated	
 Marine pollutant: Special precautions for user Danger code (Kemler): 	Warning: Gases -	
 EMS Number: Transport in bulk according to Annex II MARPOL73/78 and the IBC Code 	F-D,S-U of Not applicable.	
Transport/Additional information:		
· DOT · Quantity limitations	On passenger aircraft/rail: 75kg On cargo aircraft only: 150kg	

Printing date 01/06/2015

Reviewed on 01/06/2015

Trade name: Gum Free

(Contd. of page 9)

 ADR Excepted quantities (EQ) 	Code: E0
	Not permitted as Excepted Quantity
· IMDG	
 Limited quantities (LQ) 	1000mL
 Excepted quantities (EQ) 	Code: E0
· UN "Model Regulation":	Not permitted as Excepted Quantity UN1950, Aerosols, 2.1
15 Regulatory information	
 Safety, health and environmental SARA 	regulations/legislation specific for the substance or mixture
· Section 355 (extremely hazardous	substances):
None of the ingredients is listed.	
· Section 313 (Specific toxic chemi	cal listings):
None of the ingredients are listed.	
• TSCA (Toxic Substances Control	Act):
All ingredients are listed.	- 7
· Proposition 65 (California)	
Chemicals known to cause cance	
None of the ingredients are listed.	
· Chemicals known to cause reproc	ductive toxicity for females:
None of the ingredients are listed.	
· Chemicals known to cause reproc	ductive toxicity for males:
None of the ingredients is listed.	
· Chemicals known to cause develo	opmental toxicity:
None of the ingredients is listed.	<u> </u>
· Carcinogenic categories	
• EPA (Environmental Protection A	gency)
None of the ingredients is listed.	
· IARC (International Agency for Re	search on Cancer)
None of the ingredients is listed.	
• TLV (Threshold Limit Value estab	lished by ACGIH)
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for C	Decupational Safety and Health)
None of the ingredients is listed.	
• State Right to Know Listings	
None of the ingredients is listed.	
-	(Contd. on page 1

Printing date 01/06/2015

Reviewed on 01/06/2015

Trade name: Gum Free

(Contd. of page 10)

· Canadian substance listings:

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

• Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

•

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 01/06/2015 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) VOC: Volatile Organic Compounds (USA, EU) Flam. Gas 1: Flammable gases, Hazard Category 1 Flam. Aerosol 1: Flammable aerosols, Hazard Category 1 Press. Gas: Gases under pressure: Compressed gas Asp. Tox. 1: Aspiration hazard, Hazard Category 1 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com